Mouse Anti-HCV NS-3 Monoclonal Antibody Datasheet

Product Name: mAb anti-HCV NS-3 Clone No.: 806

Catalogue No.: MO-I40018K Quantity: 0.5 mg/vial

Description: Mouse monoclonal antibody (mAb) to

human hepatitis C virus (HCV) non-

structural protein NS-3

Purification: Protein G affinity purified

Product Type: Primary antibody

Target Protein: Human hepatitis C virus (HCV) non-

structural protein NS-3

Immunogen: Purified recombinant chimeric HCV

polyprotein (555 amino acid residues)

Fusion Sp2/0-Ag14

Myeloma:

Specificity: mAb 281 reacts with recombinant NS-3

(residues 1252-1477 on HCV polyprotein), synthetic NS-3 (residues 1378-1458 on HCV polyprotein), and recombinant

chimeric HCV polyprotein.

Species Human hepatitis C virus, others not tested

Reactivity:

Cross - No cross reaction can be seen with

Reactivity: recombinant core protein C and envelop protein M (residues 1-142), synthetic core

protein C (residues 1-61), and synthetic NS-4a protein (residues 1689-1735)

Host / Isotype: Mouse, IgG2a Kappa

Formulation: Lyophilized from a solution in 0.01M PBS,

pH 7.0

Reconstitution: Double distillated water is recommended

to adjust the final concentration to

1.00mg/mL.

Storage: Store at -20oC

Research Area: Virology

Background:

Hepatitis C virus (HCV) causes chronic

hepatitis and liver cirrhosis in human

through blood and body fluid

transmission. HCV has a positive sense

single RNA genome enclosed in the nucleocapsid made of core protein (capsid protein). The nucleocapsid is covered by an envelope made of lipoproteins (E1 and E2). The 9.6 kb HCV genome has a single open-reading frame, which is to be

open-reading frame, which is to be translated into a single polyprotein. HCV viral proteins are produced after

processing the polyprotein. Genes for core protein and envelop proteins are located adjacently at the 5'-end of HCV genome, followed by genes for non-structural proteins including NS2, NS3, NS4A, NS4B, NS5, NS5A and NS5B.

Applications: ELISA: React with HCV NS-3

Western Blot: mAb clone 806, when used at concentration of $0.1-1\mu g/mL$ will allow visualization of 100ng/lane of both recombinant chimeric HCV polyprotein and recombinant NS-3 protein. No reaction can be seen with synthetic NS-3. Testing was conducted on blot transferred from both reducing and non-reducing

PAGE gel.

References: If research is published using this product,

please inform Anogen in order to cite the reference on this datasheet. Anogen will provide one unit of product in the same

category as gratitude.

This product is for LABORATORY RESEARCH USE and further manufacture ONLY, and cannot be administrated to human and animals for use in diagnostic and therapeutic procedures.

Manufactured by ANOGEN - A Division of YES Biotech Laboratories Ltd.

Page 1 of 1 page(s)

S7.5 (02)